

XP-002192982

AN - 1992-343507 [42]

A - [001] 014 04- 041 046 047.048 06- 15- 18& 20- 229 250 342 360 381 392
415 435 450 525 527 532 533 575 596 633 688 724 725

AP - JP19910032103 19910131

CPY - TOPP

DC - A17 A60 A92 D12

DR - 5034-U

FS - CPI

IC - C08J5/00 ; C08K3/34 ; C08L23/02 ; C08L23/02

KS - 0057 0069 0205 0231 0232 0239 0246 2199 2207 2319 2330 2450 2513 2569
2654 2674 2780

MC - A04-G01E A08-M04 A12-P01 D02-A02

PA - (TOPP) TOPPAN PRINTING CO LTD

PN - JP4246444 A 19920902 DW199242 C08L23/02 005pp

PR - JP19910032103 19910131

XA - C1992-152591

XIC - C08J-005/00 ; C08K-003/34 ; C08L-023/02 ; C08L-023/02

AB - J04246444 The packaging material is made of a composition comprising
100 pts. wt. of a polyolefin resin and 2-10 pts. wt. of active
montmorillonite clay.

- The polyolefin resin is, e.g. a low-density polyethylene. The active
clay is prepared by acid treatment of hydrogen montmorillonite
($\text{HAl}_5\text{Mg}(\text{Si}_4\text{O}_{10})_3(\text{OH})_6 \cdot n\text{H}_2\text{O}$).

- USE/ADVANTAGE - Used for packaging raw fish. It has a a high absorbing
power for trimethylamine which is the main constituent of fishy smells.

- In an example, a resin compsn. comprising 100 pts. wt. of a low
density polyethylene and 3 pts. wt. of an active montmorillonite clay
was kneaded at 170-180 deg.C for 5 min and extruded at 230-250 deg.C
to give a film with a thickness of 50 microns. The film with an area
of 360 cm² absorbed 0.59 mg of trimethylamine for 24 hrs as opposed to
0.16 mg of trimethylamine in a comparative example where silica gel
instead of active clay was u(Dwg.0/0)

IW - DEODORISE PACKAGE MATERIAL RAW FISH COMPRISE POLYOLEFIN RESIN ACTIVE
MONTMORILLONITE CLAY

IKW - DEODORISE PACKAGE MATERIAL RAW FISH COMPRISE POLYOLEFIN RESIN ACTIVE
MONTMORILLONITE CLAY

NC - 001

OPD - 1991-01-31

ORD - 1992-09-02

PAW - (TOPP) TOPPAN PRINTING CO LTD

TI - Deodorising packaging material for raw fish - comprises polyolefin
resin and active montmorillonite clay